

Bearing No.	Reference No.				Dimensions mm									
	VANKV	NSK	FAG	RHP	KOYO	D	H	A	AH	d	d1	d2	B	C
WB 1224065		395837				24	33.38	65.41	16	12.038				
WB 1224079		395671B				24	33.38	78.83	17	12.038				
WB 1224080		41678C				24	33.38	80	14.2	12.738				
WB 1224083-1		395835				24	33.38	82.73	16	12.038				
WB 1224083						24	25	83	21	12				
WB 1224084-1		41619AA	FPS732			24	33.38	83.57	16.39	12.738				
WB 1224084		395726				24	33.38	83.9	22.2	12.038				
WB 1224085						24	27	85	21	12.038				
WB 1226086						26	39	86	12	12				
WB 1226090				WPB12090BRS		26	39	89.5	16.5	12				
WB 1224090-1				WPB12090ARS		26	36	90	14	12				
WB 1226091				WPB120901RS		26	39	90.5	16.5	12				
WB 1226093-1				WPB120903RS		26	39	92.5	16.5	12				
WB 1226093						26	36	93	16	12				
WB 1224094Y						26	39	94	21.5	12				
WB 1226095	WB F26-14	WS2372		S16140R-5RS		26	39	94.5	21.5	12				
WB 1226098				WPB12908-3RS		26	36	97.5	17.5	12				
WB 1226099				S16140CRS		26	39	99	21.5	12				
WB 1226102				S16140R-3RS		26	39	102.5	21.5	12				
WB 1226103-1	WB F26-11	WS2407		WPB12103RS		26	36	103.5	21.5	12				
WB 1226103				WPB12104ARS		26	39	103.5	17.5	12				
WB 1226104						26	39	103.8	17.5	12				
WB 1226106				WPB12106RS		26	36	105.5	16.5	12				
WB 1226114				WPB12114RS		26	39	113.5	17.5	12				
WB 1226117						26	39	117	26	12				
WB 1530082						30	27	82.0	17	15.000		12		36
WB 1530085						30	27	85.0	17	15.008		12.038		39
WB 1530097						30	38.89	97.0	20	15.000		12		36
WB 1530131						30	52	130.5	33	15.000		12		49.5
WB 1630068				WPB16068RS		30	38.89	68.4	25	15.918				
WB 1630069		W2207				30	38.89	68.66	27.5	15.918				
WB 1630073						30	38.89	73	17	16				
WB 1630074			FPS878			30	38.89	73.91	11.4	15.918				
WB 1630076			FPS832			30	38.89	75.6	27.0	15.918				
WB 1630078				WPB1730078RS		30	23	77.8	15.5	17.2				37.3

Bearing No.	Reference No.				Dimensions mm									
	VANKV	NSK	FAG	RHP	KOYO	D	H	A	AH	d	d1	d2	B	C
WB 1630080D						30	30	80	18	16	12	12	17	31
WB 1630081				FPS413		30	38.89	80.95	22.48	15.918				
WB 1630083D						30	30	83	18	16				
WB 1630083C						30	25	83.1	16	15.918				
WB 1630084		W2334			WPB16084RS	30	38.89	84.4	13	15.918		12		30
WB 1630085D				FBS855		30	38.89	84.99	15.07	15.918		2.037		28
WB 1630085						30	38.89	85	13.06	15		12		28.5
WB 1630085-1				FBS694		30	38.89	85.22	15.21	15.918		12042		29.21
WB 1630086						30	30	86	16.5	15.918	15	12	16	37
WB 1630086D					WPB16086/1RBS	30	38.89	86	17	16		12		33
WB 1630087C						30	38.89	86.5	13.5	15.918		12.038		32.7
WB 1630088C						30	38.89	87.5	13.5	15.918		12		34.25
WB 1630091C						30	38.89	91	13.5	15.918	12	12	15.5	36
WB 1630091D						30	38.89	91.5	17.56	15.918		12		33
WB 1630092-1				FBS337	WPB16091RBS	30	38.89	91.85	20.45	15.918	12	2.675	14.5	29.34
WB 1630092D						30	38.89	92	16.5	15.918		12		34.5
WB 1630092	885477			FBS908		30	38.89	92.48	25.12	15.918		2037		26.02
WB 1630093D		W2364S			885477ARSE	30	38.89	92.5	16.5	15.918		12		34.5
WB 1630093-1					WPB16093-4RS	30	38.89	93	18.5	15.918		12		32.6
WB 1630093	885330				WPB16093-1RS	30	38.89	93	18.5	15.918				
WB 1630094		W2366		FBS926	WPB163093RS	30	38.89	94.5	35.11	15.918				
WB 1630095						30	38.89	94.6	19.2	15.918		12		33.5
WB 1630096				FBS744	WPB16095CRS	30	38.89	96.5	17.87	15.918		12.052		35.45
WB 1630098-1				FBS519		30	38.89	97.51	23.49	15.918				
WB 1630098-2	885110					30	38.89	97.65	19.05	15.918		12.675		36.53
WB 1630098-3	885324	W2384S		FBS849		30	38.89	97.82	17.88	15.918				
WB 1630098A	885307			FBS595		30	38.89	98	17	15.918				
WB 1630098-4		W2385				30	38.89	98	20	15.918				
WB 1630098W		W2385-4				30	38.89	98	16.5	15.918				
WB 1630098C						30	38.89	98	16	15.918		12		40.6
WB 1630098CA		W2385-6				30	38.89	98	17.06	15.918				
WB 1630098-5		W2386S		FBS811		30	38.89	98.04	18.51	15.918		12.23		38

Bearing No.	Reference No.				Dimensions mm									
	VANKV	NSK	FAG	RHP	KOYO	D	H	A	AH	d	d1	d2	B	C
WB 1630099	885474	W2387S	FBS815	WPB16099-1RS		30	38.89	98.5	22.55	15.918		5		33.76
WB 1630099-1				WPB16099-5RS		30	38.89	98.5	16.5	15.918	12	12		40.5
WB 1630099-2	885301		FBS810			30	38.89	98.88	23.62	15.918	15	12	21.13	32.51
WB 15300100						30	36.5	100	23.5	15.011		15		
WB 16300100				WPB16100ARS		30	38.89	100	24	15.918				35
WB 1630101D	885328			BWF3044		30	38.89	101	24	15.918	14	12	20.5	35.1
WB 1630101						30	38.89	101.2	21.8	15.918		12		
WB 1630101-1	885476	W2398-1S	FBS919			30	38.89	101.24	29	15.918	12.007	2.687	25.4	31.01
WB 1630102-1				885685RSE		30	38.89	101.5	17.5	15.918				
WB 1630102-2	885321	W3399				30	38.89	101.5	17.5	15.938				
WB 1630102-3		W2401-3	FBS120			30	38.89	102.01	16.92	15.918				
WB 1630102-4				WPB16102CRE		30	38.89	102.26	35	15.918	15	15	32.92	26.04
WB 1630102A	885147		FBS1			30	38.89	102.5	22	15.918		12.675		38.5
WB 16301025-5		W2404S	FBS623	WPB16102BRSE		30	38.89	102.62	24.45	15.918		2.674		38.1
WB 1630103-1			FBS484			30	38.89	102.74	35.02	15.918	12.7	12014	30.5	23.75
WB 1630103-2	885405			WPB16102-4RE		30	38.89	102.74	28.77	15.918	2.014	12.7	25.5	32
WB 1630103-3			FBS532	WPB16102ARSE		30	38.89	102.87	22.7	15.918		2.675		38.1
WB 1630103-4			FBS620	WPB16103ERSE		30	38.89	102.87	23.11	15.918				
WB 1630103D				WPB16103-9RS		30	38.89	103	16.51	15.918		12		43
885140	885595	W2406-2	FBS17	885140BRSE		30	38.89	103.2	23.42	15.918				
WB 1630104-1	BWF30AA		FBS732	R16140-1RS		30	38.89	103.5	21.58	15.918	12	12	18.26	39.75
WB 1630104-2		W24071S	FBS835			30	38.89	103.5	21.56	15.918		12		39.75
WB 1630104-3	BWF3088		FPS601			30	38.89	103.51	19.56	15.918		12		42
WB 1630104-4						30	38.89	103.84	22.33	15.918				
WB 1630104						30	38.89	104	16.25	16	12	12	14.5	46.5
WB 1630105-1		W2412-1	FPS239			30	38.89	104.65	20.3	15.918				
WB 1630105-2	885302	W2412	FPS917			30	38.89	104.68	27.05	15.918				
WB 1630105-3			FPS26			30	38.89	105	47.16	15.918				
WB 1630105-4						30	38.89	105.16	23.95	15.918				
WB 1630105						30	38.89	105.3	16.2	16	12	12	15	48
885159	885159	W2412	FPS860			30	38.89	105.4	24.21	15.918				
WB 1630105-5				885699RSE		30	38.89	105.46	20.63	15.918				

Bearing No.	Reference No.				Dimensions mm									
	VANKV	NSK	FAG	RHP	KOYO	D	H	A	AH	d	d1	d2	B	C
WB 1630106-1		W2415-1S	FPS106	WPB16105BRS		30	38.89	105.5	24.05	15.918		12		40
WB 1630106-2				WPB16106MRS		30	38.89	105.5	16.5	15.918	12	12	13.1	46
WB 1230106D						30	38.89	105.65	16.25	15.918	12	12	14.5	48
WB 1630106	885490		FPS104	WPB16106-3RSEH		30	38.89	106	26.11	16				
WB 1630106-3	885097	W2417-2				30	38.89	106	20.65	15.918				
WB 1630106D						30	38.89	106	25	16		12		40
WB 1630106W						30	38.89	106	30	15.918		12		34
WB 1630106-4		W2418-1		WPB16106DRS		30	38.89	106.17	25.15	15.918				
WB 1630106-5	885439	W2418S	FPS730	KWPB16106DRSE		30	38.89	106.17	25.12	15.918		12.738		38.86
WB 1630106-6				WPB16106JRS		30	38.89	106.2	18.5	15.918		12		41
WB 1630107				WPB16107BRSE		30	38.89	106.5	27.8	15.918	15.01	12.052	26.1	35
WB 1630108				D607010RS		30	38.89	108	21.5	15.918		12		44.5
WB 1630109-1		W2418-1		885111-D		30	38.89	108.74	27.38	15.918				
WB 1630109				WPB16109RS		30	38.89	109	27.31	16		12		33.5
WB 1630110		W2431-2S				30	38.89	109.5	25.1	15.918		12.04		38.8
WB 1630110-1	885107b	W2431	FPS520			30	38.89	109.52	14.67	15.918				
WB 1630110-2	885305					30	38.89	110	23.52	15.918				
885524S	885524S	W2433-2	FPS456			30	38.89	110	28.96	15.918				
WB 1630112	885167			885167		30	38.89	111.51	23.8	15.918				
WB 1630112D						30	38.89	111.65	21.5	15.918		12		44
WB 1630112-1		W2440-4	FPS208	885167DRSE		30	38.89	111.75	29.21	15.918				
WB 1630112-2	885098	W2440-1				30	38.89	111.91	26.7	15.918				
WB 1630112-3				WPB116112-5RS		30	38.89	112	25.15	15.918				
WB 1630112-4	885327	W2440-5S		BWF3076B		30	38.89	112	30	15918		12		40.49
WB 1630112-5		W2441-1				30	38.89	112	27	15.918				
WB 1630112-6		W2442				30	38.89	112.4	23.37	15.918				
WB 1630113-1			FPS23			30	38.89	112.52	31.26	15.918				
WB 1630113-2			FPS16			30	38.89	112.67	25.52	15.918				
WB 1630113-3	885614					30	38.89	112.78	30	15.918				
WB 1630113						30	38.89	113	19	16		12		53.8
WB 1630113-4		W2445		885155		30	38.89	113.11	31.75	15.918				
WB 1630113-5			FPS48	WPB16113CRSE		30	38.89	113.21	32	15.918				

Bearing No.	Reference No.				Dimensions mm									
	VANKV	NSK	FAG	RHP	KOYO	D	H	A	AH	d	d1	d2	B	C
WB 1630113-6	N885156	W2446	FPS24	885156-S		30	38.89	113.49	27.38	15.918				
WB 1630114-1		W2447				30	38.89	113.67	36.1	15.918				
WB 1630114						30	38.89	114	24	15.918				
WB 1630114-2	885697	W2450-2		C8DE8530A- IRSE		30	38.89	114.3	32	15.918				
WB 1630115-1				WPB16155-IRS		30	38.89	114.54	29.4	15.918		12		42.5
WB 1630115-2	885133-A			885133ARSE		30	38.89	114.81	32	15.918				
WB 1630115				WPB16115-3ARS		30	38.89	115	16.5	15.918		12		36
WB 1630115HW						30	38.89	115	26.11	16				
885167	885167	W2455	FPS153			30	38.89	115.51	27.8	15.918				
WB 1630116-1	885495		FPS54			30	38.89	115.75	26.85	15.918				
WB 1630116-2				WPB16116-IRS		30	38.89	116	30.06	15.918		12		43
WB 1630116						30	38.89	116	26	15.918		12		46
WB 1630116C						30	38.89	116	27.11	15.918				
WB 1630117		W2462-2				30	38.89	116.5	27.5	16		13		47
WB 1630117-1				885190		30	38.89	117.35	33.96	15.918				
WB 1630118		W2465				30	38.89	118.26	14.68	15.918				
WB 1630119						30	38.89	119	24	15.918				
885118	885118	W2468	FPS122	885118RSE		30	38.89	119.07	37.31	15.918				
WB 1630119C						30	38.89	119.3	37.6	15.918				
WB 1230119-1	885135S	W2470		885135CRSE		30	38.89	119.46	32.54	15.918				
WB 1630119-2	885637					30	38.89	119.46	40.82	15.918				
WB 1630120-1	885584S	W2472		885584		30	38.89	119.84	36.5	15.918				
WB 1630120						30	38.89	120	31	15.918				
WB 1630121-1		W2475		885222		30	38.89	120.65	38.12	15.918				
WB 1630121	885105	W2476		885105		30	38.89	120.9	29.46	15.918				
WB 1630122D						30	38.89	121.5	25	16		12		47.5
WB 1630122-1	885238	W2478-1	FPS659			30	38.89	121.62	31.42	15.918				
WB 1630122		W2479-1		885208		30	38.89	121.87	37.26	15.918				
WB 1630122-2			FPS674			30	38.89	121.92	41.37	15.918		2.675		38.1
WB 1630122X						30	38.89	122	26.5	15.918				
WB 1630122-3			FPS668			30	38.89	122.12	32.96	15.918		2.703		44.7
WB 1630122-4	885476	W2481				30	38.89	122.17	33.88	15.918				

Bearing No.	Reference No.				Dimensions mm									
	VANKV	NSK	FAG	RHP	KOYO	D	H	A	AH	d	d1	d2	B	C
WB 1630122-5	885168H			FPS290		30	38.89	122.22	28.67	15.918				
WB 1630122-6	885168C	W2481-1		FPS163	885168-1	30	38.89	122.22	28.58	15.918				
885168	885168AD	W2481-6			885168AA	30	38.89	122.22	40.18	15.918				
WB 1630122-7					WPB16122-1RSE	30	38.89	122.4	33.5	15.918				
WB 1630123		W2484				30	38.89	123.04	36.86	15.918				
WB 1630124-1	885100B	W2486-2			885100B	30	38.89	123.67	31.75	15.918				
WB 1630124-2				FPS109	WPB16124RS	30	38.89	124	42.61	15.918		12		40
WB 1630124-3	885326	W2488S			BWF3089	30	38.89	124	41.78	15.918		12		40.49
WB 1630124						30	38.89	124	21	15.918				
WB 1630124-4	885245	W2489-2		FPS923	885245RSE	30	38.89	124.4	40	15.918				
WB 1630125				FPS188		30	38.89	124.5	30.14	15.918		15.817		40.64
WB 1630125-1	885594S					30	38.89	124.97	39.12	15.918				
WB 1630126		W2496				30	38.89	126	34.3	15.918				
WB 1630127-1				FPS204	885142-C	30	38.89	127	44.55	15.918				
WB 1630127-2				FPS374	WOB16127CRSE	30	38.89	127	37.94	15.918		12.7		35.56
WB 1630127-3	885142D	W2500-2				30	38.89	127	32.56	15.918				
WB 1630127						30	38.89	127	36	16	M12		19	
WB 1630127A						30	38.89	127	27	15.918		12		59
WB 1630128						30	38.89	127.7	22.41	15.918				
WB 1630128-1	885151B	W2405-6			885151-B	30	38.89	127.79	44.45	15.918				
WB 1630128-2	885141			FPS18	885141RSE	30	38.89	127.79	25.8	15.918				
885169	885169	W2507		FPS42	885169-1	30	38.89	129	31.75	15.918				
WB 1630130						30	38.89	130	41	15.918				
WB 1630132		W2520		FPS389		30	38.89	132.16	50.42	15.918				
WB 1630132-1	885104A					30	38.89	132.16	47.85	15.918				
WB 1630133					885113-B	30	38.89	132.54	40.87	15.918				
WB 1630133-1					885113CRSE	30	38.89	132.64	29.77	15.918				
WB 1630133-2	885611	W3522-1		FPS661		30	38.89	132.64	29.77	15.938				
WB 1630133-3				FPS602		30	38.89	133.1	55.35	15.918				
WB 1630133-4	885415	W2524-1				30	38.89	133.25	38.86	15.918				
WB 1630134	885113	W2527			885113BRSE	30	38.89	133.86	42.65	15.918				
WB 1630135	885158AA	W2531-1			K885158AA	30	38.89	134.92	33.15	15.918				

Bearing No.	Reference No.				Dimensions mm									
	VANKV	NSK	FAG	RHP	KOYO	D	H	A	AH	d	d1	d2	B	C
WB 1630135-1	885437S	W2532	FPS786			30	38.89	135.28	50.85	15.918				
WB 1630135-2				885437RSE		30	38.89	135.28	45.59	15.918				
WB 1630136			FPS386	885093SRSE		30	38.89	135.74	44.5	15.969				
WB 1630136-1	885093	W2534-1		885093S		30	38.89	135.74	52.4	15.918				
WB 1630136-2	885158P	W2537	FPS7	WPB1613BRSE		30	38.89	136.4	39.1	15.918				
WB 1630137				K885672		30	38.89	137.49	40	15.918				
WB 1630138		W2542	FPS287			30	38.89	137.67	46.23	15.918				
WB 1630138-1			FPS25	885158-1RSE		30	38.89	138.1	40.89	15.918				
WB 1630138-2	885158			885158-1		30	38.89	138.1	58.34	15.918				
WB 1630138-3		W2543				30	38.89	138.1	45.7	15.918				
WB 1630139	885603	W2548-1	FPS397	885606		30	38.89	139.32	35.05	15.918				
WB 1630141	885248	W2555	FPS757	885248RSE		30	38.89	141	49	15.918				
WB 1630141-1	885458	W2556	FPS885			30	38.89	141.22	28.93	15.918				
WB 1630142		W2559				30	38.89	142.1	44.86	15.918				
WB 1630143	885141	W2562	FPS19	885141-1		30	38.89	142.88	40.08	15.918				
WB 1630144			FPS525			30	38.89	144.88	52.71	15.918		12.703		47.24
WB 1630146	885694S	W2575-1	FPS612	885694		30	38.89	146.2	61.72	15.918				
WB 1630150-1	885166C			885166C		30	38.89	150	35.1	15.918				
WB 1630150						30	38.89	150	52	15.918	12	M10	50.5	48.5
WB 1630154		W2606				30	38.89	154	34.05	15.918				
WB 1630154-1			FPS776	885125C		30	38.89	154.23	29.77	15.918				
WB 1630154-2	885613	W3607	FPS722			30	38.89	154.23	29.77	15.938				
WB 1630156				885671		30	38.89	155.58	69.95	15.918				
WB 1630160-1	885136B	W26294		885136B		30	38.89	159.77	62.66	15.918				
WB 1630161	885117	W2637		885117		30	38.89	161.47	58.34	15.918				
WB 1630166			FPS61			30	38.89	165.85	63.48	15.918				
WB 1630167			FPS646			30	38.89	177.09	79.88	15.918				
WB 1630172						30	60	172	70	15.918		12		40.5
WB 1635153						35	46	153	35	15.918				
WB 17.230075						30	23	75	14	17.2		12		35.7
WB 17.230077-1						30	23	77	16.5	17.2		12		35
WB 17.230102						30	38.9	102	19.5	17.2		12		40.8

Bearing No.	Reference No.				Dimensions mm									
	VANKV	NSK	FAG	RHP	KOYO	D	H	A	AH	d	d1	d2	B	C
WB 1735119						35	46	119	27	17		12		44
WB 1735152						35	46	152	31	17		12		64
WB 1835086						35	30	86	10.5	18		12		43.5
WB 1835095						35	31	94.5	24	18	15.918	12	22	37.5
WB 1835086						35	52	108	20	18		12		33.5
WB 1835114-3						35	46	114	30.5	18	16	12	10	36
WB 1835146						35	54	146	31	18	15.918	15.918	11	57
WB 1738121				FPS135	885800CRSE	38.1	54	120.65	24.260	18.961		15.918		39.675
WB 1738126				FPS470	885832RSE	38.1	54	125.73	30.861	18.961	15.918	15.918	27.432	37.338
WB 1738127-1					885775RSE	38.1	54	127	26.67	18.961	15.938	15.918	11.636	44.45
WB 1739127			WK2509	FPS139	885811RSE	38.1	54	127	31.369	18.961		15.918		38.1
WB 1738127-2					885869RSE	38.1	54	127.51	31.115	18.961	15.918	15.918	14.275	39.878
WB 1738132					885821BRSE	38.1	54	132.08	29.845	18.961	15.918	15.918	12.319	43.18
WB 1738134					W9B134RSE	38.1	54	134.05	37.605	18.961		15.918		39.678
WB 1738134-1					C9DE8530C	38.1	54	134.112	30.353	18.961		15.918		47.244
WB 1738136-2			WK2528-2		885735RSE	38.1	54	135.636	31.877	18.961		15.918		47.244
WB 1938136-1			WK2537-1	FPS662	885737RSE	38.1	54	36.398	36.195	18.961	15.918	15.918	12.219	43.434
WB 1938136			WK2538	FPS138	885810RSE	38.1	54	36.652	36.703	18.961	15.918	15.918	33.02	42.418
WB 1938137					885870RSF	38.1	54	136.779	40.386	18.961	15.918	15.918	14.275	39.873
WB 1938140-1			WK2550	FPS399	885821RSE	38.1	54	139.7	35.56	18.961	15.918	15.918	15.392	47.752
WB 1938140-2					W9B140L	38.1	54	140	33.7	18.961	15.918	15.918	29	49.146
WB 1938140					885720RSE	38.1	54	140.589	39.624	18.961		15.918		43.815
WB 1938142			WK6558		885842RSE	38.1	54	141.757	43.84	18.961		15.918		41.021
WB 1938143-1					885815ARSE	38.1	54	143.256	35.305	18.961		15.918		49.2
WB 1938143					885862ARSE	38.1	54	43.485	30.836	18.961	15.918	15.918	12.243	45.72
WB 1938144					80DA8530AA	38.1	54	143.764	41.021	18.961	15.918	15.918	37.5	45.577
WB 1938145					885802RS	38.1	54	45.796	44.704	18.961		15.918		44.45
WB 1938145-1			WK2574-2	FPS366	885818RSE	38.1	54	145.796	44.704	18.961		15.918		40.767
WB 1938146					885747RSE	38.1	54	146.05	36.322	18.961	15.918	15.918	13.716	51.562
WB 1938146-1					885760RSE	38.1	54	146.05	36.322	18.961	15.918	15.918	33.02	51.562
WB 1938150					885764RSE	38.1	54	150.52	35.052	18.961	15.918	15.918		58.318
WB 1938152					885844RSE	38.1	54	152.4	35.66	18.961	15.918	15.918	15.265	60.528



Bearing No.	Reference No.				Dimensions mm									
	VANKV	NSK	FAG	RHP	KOYO	D	H	A	AH	d	d1	d2	B	C
WB 1938153-1					885857RSE	38.1	54	152.908	53.694	18.961	15.918	15.918	28.448	41.783
WB 1938153-2					885865A	38.1	54	152.908	46.355	18.961	15.918	5.918	28.575	43.035
WB 1938153					885807CRSE	38.1	54	53.416	45.72	18.961		15.918		50.546
WB 1938154					885825CRSE	38.1	54	154.229	29.769	18.961	15.918	15.918	8.89	57.15
WB 1940127-2						40	46	126.6	32.6	19	17	12	9.5	41.5
WB 2036097						36	37	96.5	17.5	20	16	15.91	15	41
WB 2040151						40	50	151	51.8	20	M14	15.918	20.5	44
WB 2040143B		P2040				40	50	143	31.5	20.004		16		55
WB 2242067						42	42	67	23	22				
WB 2242118						42	46	118	21	22		12		42
WB 2242125						42	46	125	27	22	18	12	25.5	50
WB 2242130						42	56	129.5	30	22		12		41.5
WB 2242142						42	46	142	41.5	22		15.918		49
WB 2540112						40	38	112	36	24.5		15.918		36
WB 2540114-1						40	40	142	19	24.5		12		51.5
WB 2556173						56	70	172.5	36	25		20		28.5
WB 3055130		WA11665				55	47.5	130	31.8	30		15.06		48
WB 3256216						56	70	216	63.5	31.5	25	24.8	33	44.5